GRANORTE

delivering nature


GRANORTE
delivering nature
2021
©APCOR




GRANORTE is a Portuguese family company, founded in 1972, with the aim of creating products in cork, using the remains from the wine cork stoppers manufacturing industry.

Historically, the Figueiredo da Rocha family owned five factories, being one of the most important producers of natural cork stoppers. Understanding the importance of creating value from the cork leftovers of their factories, the family founded GRANORTE and the horizons opened up to a new business.

Thanks to the continuous, forward-looking and passionate research, the company developed into an expanding producer of technical, creative and sustainable solutions using cork, being recognized over the years by important collaborations and international awards such as iF, Iconic Awards, Green Good Design and German Design Award.

Today, GRANORTE is a leading manufacturer of environmentally responsible products dedicated to building and interior design.



Cork is the outer bark of the cork oak tree, which grows in the Mediterranean region of the world. This tree has a life span of about 200 years and it must be 20 to 25 years old before it can provide its first harvest of cork. After extracting the cork a new layer starts generating and nine years have to pass until a new harvest can take place. The cork harvesting is made in a sustainable way and does not harm the tree which is never cut down or removed.

The cork oak remains the only tree whose bark can regenerate itself after harvest leaving the tree unharmed. Furthermore, the cork oak tree has the remarkable capacity to retain carbon and a harvested cork tree fixates almost five times more carbon. These exceptional characteristics make cork a naturally sustainable product and its use contributes to the preservation of the environment and a unique habitat in the world.

This noble, biodegradable and fully recyclable material has precious qualities like lightness, impermeability, resiliency, sound and thermal insulation, among others. Moreover, it has remarkable sensory and emotional characteristics: it is comfortable, warm and pleasant to the touch.
Cork is the perfect environmentally friendly material and it is the ideal option for floor or wall coverings.



GRANORTE recognizes that business leadership carries a responsibility to the environment and the world's forests. We contribute to the development of environmental solutions that conserve, protect and restore forests, supporting responsible forest management practices that both protect biodiversity and ecosystem integrity and result in long-term social and economic benefits to human communities.

As a member of WWF's Global Forest & Trade Network and U.S. Green Building Council, we believe in a more sustainable built environment. We promote green building and we are committed to the use of cork and other sustainable sources, contributing to give people better, brighter and healthier spaces to live, work and play.



Naturals

Naturally green




Naturals Champagner Ash + Decodalle Primus Rustic Spring



002
910 x 300 x 10,5 mm
click installation

729
600 x 300 x 4 mm
Glued



1 WEARTOP® Hard-wearing super matt finish 2 Natural cork decorative veneer 3 High-density natural cork composite
4 Moisture resistant HDF core board 5 Uniclic® click system for fast installation 6 All around JointShield® edge sealing
7 Integrated cork underlay for thermal and sound insulation, with Microban® antibacterial protection

WEARTOP	HDF CORE	UNICLIC	JOINT SHIELD	AGGLOPURE	NOPHTHALATE	residential warranty	commercial warranty
high performance coating	moisture resistant HDF	click installation system	edge sealing technology	no added formaldehyde	100%orthophthalates free	15 years	5 years

23 32 PROTECTION THAT LIVES ON MICROBAN GREENGUARD GOLD ÉMISSIONS DANS L'AIR INTÉRIEUR A+ FSC www.fsc.org FSC® C044051 The mark of responsible forestry CE EN 14041: 2008

FSC® certified products are available upon request.



Standard
002 248 000 · 729 248 000



Standard Cream
002 210 011 · 729 210 011



Standard White
002 210 012 · 729 210 012




Standard Slate Grey
002 210 052 · 729 210 052



Champagner
002 040 000 · 729 040 000



Champagner Ash
002 039 048 · 729 039 048



Champagner Sand
002 039 014 · 729 039 014



Champagner White
002 039 012 · 729 039 012



Twist
002 901 000 · 729 901 000



Twist Cream
002 901 011 · 729 901 011




Twist White
002 901 012 · 729 901 012



Twist Terracotta
002 901 616 · 729 901 616




Element Rustic Cream
002 111 011 · 729 111 011



Element Rustic Desert
002 111 044 · 729 111 044


Element
002 801 000 · 729 801 000


Element Rustic Lilac
002 111 617 · 729 111 617



Country
002 241 000 · 729 241 000



Country Canvas
002 241 033 · 729 241 033


Country Earth
002 241 026 · 729 241 026


Country Slate Grey
002 241 052 · 729 241 052


Linea
002 121 000 · 729 121 000


Primus Greige
002 179 055 · 729 179 055



Primus
002 179 000 · 729 179 000


Primus Sand
002 179 014 · 729 179 014


Primus Dove Blue
002 179 620 · 729 179 620


Split White
002 124 012 · 729 124 012


Split Smoke
002 124 042 · 729 124 042


Split Mocha
002 124 027 · 729 124 027



Recolour

Naturally vivid



Recolour Terracotta + Bebop

Recolour

Design by
Granorte Design Center






216

1164 x 300 x 10,5 mm
click installation



633

900 x 150 x 4 mm
glue-down installation



1 WEARPLUS® high performance PUR HotCoating® finished with 2 component waterborne lacquer 2 Natural cork decorative veneer
3 Micro-bevelled edges 4 High-density natural cork composite 5 Moisture resistant HDF core board
6 Uniclic® click system for fast installation 7 Integrated cork underlay for thermal and sound insulation, with Microban® antibacterial protection

WEARPLUS high performance hotcoating
HDFCORE+ moisture resistant HDF
MICRO BEVEL 4 edges micro-beveled
UNICLIC click installation system
AGGLOPURE no added formaldehyde
NOPHTHALATE 100%orthophthalates free
residential warranty 15 years
commercial warranty 5 years

23
32
PROTECTION THAT LIVES ON MICROBAN
GREENGUARD GOLD
EMISSIONS DANS L'AIR INTÉRIEUR A+
FSC www.fsc.org FSC® C044051 The mark of responsible forestry
CE EN 14041: 2008

FSC® certified products are available upon request.

Recolour

Pearl
216 111 018 · 633 111 018

Cream
216 111 011 · 633 111 011

Sand
216 111 014 · 633 111 014

Canvas
216 111 033 · 633 111 033

Greige
216 111 055 · 633 111 055

Ash
216 111 048 · 633 111 048

Slate Grey
216 111 052 · 633 111 052

Smoke
216 111 042 · 633 111 042

Desert
216 111 044 · 633 111 044

Havana
216 111 201 · 633 111 201

Earth
216 111 026 · 633 111 026

Mocha
216 111 027 · 633 111 027

Wheat
216 111 032 · 633 111 032

Saffron
216 111 604 · 633 111 604

Sunset
216 111 626 · 633 111 626

Terracotta
216 11 616 · 633 111 616

Old Rose
216 111 627 · 633 111 627

Blush
216 111 618 · 633 111 618

Lilac
216 111 617 · 633 111 617

Purple
216 111 610 · 633 111 610

Aqua
216 111 623 · 633 111 623

Mint
216 111 624 · 633 111 624

Spring
216 111 625 · 633 111 625

Forest
216 111 612 · 633 111 612

Sky
216 111 614 · 633 111 614

Turquoise
216 111 622 · 633 111 622

Dove Blue
216 111 620 · 633 111 620

BlueMoon
216 11 621 · 633 111 621



Vita Classic

Naturally pure



Vita Classic Portobello

Vita Classic

Vita Classic

Digital Print Cork Floors

Vita Classic





046

1746 x 194 x 13,5 mm
click installation



146

1164 x 194 x 10,5 mm
click installation



162

900 x 150 x 4 mm
glue-down installation




1 WEARPLUS® high performance PUR HotCoating® finished with 2 component waterborne top lacquer 2 Authentic look High Definition Digital Printing
3 Micro-bevelled edges 4 High-density natural cork composite 5 Moisture resistant HDF core board
6 Uniclic® click system for fast installation 7 Integrated cork underlay for thermal and sound insulation, with Microban® antibacterial protection

WEARPLUS high performance hotcoating
HDDP high definition digital print
AWS authentic wood structure
MICRO BEVEL 4 edges micro-beveled
HDF CORE moisture resistant HDF
UNICLIC click installation system
AGGLOPURE no added formaldehyde
NOPHTHALATE 100%orthophthalates free
residential warranty 15 years
commercial warranty 5 years

23
32
PROTECTION THAT LIVES ON MICROBAN
GREENGUARD GOLD
EMISSIONS DANS L'AIR INTÉRIEUR A+
FSC www.fsc.org FSC® C044051 The mark of responsible forestry
CE EN 14041: 2008

FSC® certified products are available upon request.



Antique
046 001 01 · 146 001 01 · 162 001 01



Blond
046 001 02 · 146 001 02 · 162 001 02



Gold
046 001 32 · 146 001 32 · 162 001 32




Java
046 001 04 · 146 001 04 · 162 001 04




Camel
046 001 03 · 146 001 03 · 162 001 03




Cougar
046 001 33 · 146 001 33 · 162 001 33



Vanila
046 001 17 · 146 001 17 · 162 001 17




Pearl
046 001 05· 146 001 05 · 162 001 05




New


Bistro
046 001 97 · 146 001 97 · 162 001 97



Spice
046 002 01 · 146 002 01 · 162 002 01



Country
046 002 02 · 146 002 02 · 162 002 02




Portobello
046 001 27 · 146 001 27 · 162 001 27

Vita Classic Vintage




Arctic
046 001 09 · 146 001 09 · 162 001 09



Frost
046 002 03 · 146 002 03 · 162 002 03



Blanc
046 001 06 · 146 001 06 · 162 001 06



Oasis
046 001 12 · 146 001 12 · 162 001 12




Siena
046 001 07 · 146 001 07 · 162 001 07



Moccasin
046 001 14 · 146 001 14 · 162 001 14



Greystone
046 001 10 · 146 001 10 · 162 001 10



Seashell
046 001 13 · 146 001 13 · 162 001 13

New



Charcoal
046 001 48 · 146 001 48 · 162 001 48



Smoke
046 001 16 · 146 001 16 · 162 001 16



Snow
046 001 15 · 146 001 15 · 162 001 15



Platinum
046 001 11 · 146 001 11 · 162 001 11




Sand
046 003 01 · 146 003 01 · 162 003 01

New



Anchorage
046 001 99 · 146 001 99 · 162 001 99



Caramel
046 001 19 · 146 001 19 · 162 001 19



Bisque
046 001 18 · 146 001 18 · 162 001 18



Dawn
046 001 22 · 146 001 22 · 162 001 22



Breeze
046 001 35 · 146 001 35 · 162 001 35




Century
046 001 37 · 146 001 37 · 162 001 37



Tweed
046 001 34 · 146 001 34 · 162 001 34



Rust
046 001 20 · 146 001 20· 162 001 20





Lodge
046 001 38 · 146 001 38 · 162 001 38




Tan
046 001 36 · 146 001 36 · 162 001 36

New



Vintage
046 001 98 · 146 001 98 · 162 001 98



Vita Decor

Naturally unique



Vita Decor Mondri Pale

Vita Decor

Vita Decor


Digital Print Cork Floors





530

910 x 300 x 10,5 mm
Clic



1 WEARTOP® High Strength Finish 2 High definition HDDP digital printing
3 Composed of high-density natural cork 4 Moisture resistant HDF panel
5 Uniclic® click system for quick installation 6 JointShield® Perimeter Edge Sealing
7 Integrated cork base for thermal and acoustic insulation, with Microban® antibacterial protection

WEARTOP	HDDP	HDFCORE+	UNICLIC®	JOINTSHIELD	AGGLOPURE	NOPHTHALATE	residential warranty	commercial warranty
high performance coating	high definition digital print	moisture resistant HDF	click installation system	edge sealing technology	no added formaldehyde	100%orthophthalates free	15 years	5 years

FSC® certified products are available upon request.

Vita Decor Retile

Design by Carlos Mendonça & Alizira Peixoto
Venice Design by Marco Carrini





Vita Decor

Vita Decor Trim Chevron LR Classic

Vita Decor Trim

Design by
Granorte Design Center


Trim Cut Grey
530 008 02



Trim Cut Caramel
530 008 01



Trim Chevron LR Urban
530 009 02



Trim Chevron LR Classic
530 009 01



Trim Majestic
530 007 01


Trim Foursquare Grey
530 006 02


Trim Foursquare Natural
530 006 01


Trim Chevron Grey
530 004 02



Trim Chevron Classic
530 004 01


Trim Slice Natural
530 001 01


Trim Slice Arctic
530 001 02


Trim Strip Natural
530 010 01


Trim Duo Urban
530 002 03


Trim Duo Classic
530 002 02



Tradition

Naturally quiet



Tradition Champagner + Decodalle Element Rustic White

Tradition





072

600 x 300 x 4 mm
glue-down installation



1 Natural cork decorative veneer 2 High-density agglomerated cork backing

AGGLOPURE no added formaldehyde

NOPHTHALATE 100% orthophthalates free

GLUE-DOWN glue-down installation

residential warranty 15 years

commercial warranty 5 years

23


31

CORK

GREENGUARD GOLD

ÉMISSIONS DANS L'AIR INTÉRIEUR A+ A+ A B C

CE EN 14041: 2008


Standard
072 214 00

Mineral
072 220 00

Mystic
072 440 00

Classic
072 101 00


Stark
072 150 00


Champagner
072 040 00


Gem
072 200 00


Arabesque
072 910 00



Twist
072 901 00


Twist Black
072 901 93


Twist Red
072 901 91


Twist Orange
072 901 94


Twist Green
072 901 92


Forest
072 700 00

Castello
072 241 00

Canyon
072 155 00

River
072 131 00


Creek
072 137 00


Diagonal
072 796 00


Primus
072 179 00


Element
072 800 00


Element Wave
072 280 00


Element Rustic
072 110 00


Element Schmal
072 231 00



Parallel
072 121 00


Split
072 123 00


Horizon
072 221 00



Fineline
072 310 00


Nobel
072 191 00


Kwadraat
072 160 00


Expression
072 290 00



Fineline Dark
072 301 00


Nobel Select
072 191 82


Contour
072 646 00


Mesh
072 649 00


String
072 644 00



Decodalle

Naturally soft



Decodalle Parallel Cream + Recolour Smoke





005

600 x 300 x 3 mm
glue-on installation



1 PARAWAX matt finish 2 Natural cork decorative veneer 3 Agglomerated cork backing

PARAWAX
flexible wax coating

GLUE-DOWN
glue-down installation

AGGLOPURE
no added formaldehyde


NOPHTHALATE
100%orthophthalates free


CORK


GREENGUARD GOLD

ÉMISSIONS DANS L'AIR INTÉRIEUR A+


CE
EN 15102:2011





Parallel Cream
005 121 011


Parallel White
005 121 074


Kwadraat
005 160 000



Parallel Grey
005 121 048


Canyon
005 155 000


Element Rustic White
005 110 074


Country White
005 241 081


Country Black
005 241 090



Country
005 241 000


Country Blue
005 241 087



Country Red
005 241 089



Country Ochre
005 241 080


Country Cream
005 241 071



Country Camel
005 241 073


Country Ivory
005 241 072


Country Purple
005 241 711


Country Black Smoke
005 241 708



Country Black Terracotta
005 241 707



Primus Rustic Rust
005 170 075


Primus Rustic White
005 170 081


Primus Rustic Pearl
005 170 074


Primus Rustic Brown
005 170 086


Primus Rustic Navy Blue
005 170 077


Primus Rustic Terracotta
005 170 712


Primus Rustic Spring
005 170 713



Wabi

Naturally simple



Wabi

New

Wabi Tokyo

Wabi

Design by
Granorte Design Center

Coloured Cork Wall Tiles


Wabi





008

900 x 300 x 4 mm
glue-on installation



1 CORKGUARD® waterbased protection 2 Natural cork decorative veneer 3 Agglomerated cork backing

CORKGUARD
water and stain protection

AGGLOPURE
no added formaldehyde

NOPHTHALATE
100%orthophthalates free

GLUE-DOWN
glue-down installation

cork

GREENGUARD GOLD

EMISSIONS DANS L'AIR INTÉRIEUR A+

CE
EN 15102:2011



Ice
008 241 012




Snow
008 241 011



Tokyo
008 121 055



Kyoto
008 121 042



Sahara
008 040 044




Lake
008 040 620



Garden
008 241 625



Kalahari
008 040 201




Leafs
008 241 612



River
008 241 621



Rose
008 900 627




Tulip
008 900 617



Sunny
008 900 626



Summer
008 900 616



Mat

New



Mat Quartz + Recolour Aqua

Mat

Design by
Granorte Design Center





508

900 x 300 x 4 mm
glue-on installation



1 CORKGUARD® waterbased protection 2 Rough texture cork veneer 3 Agglomerated cork backing

CORKGUARD
water and stain protection

AGGLOPURE
no added formaldehyde

NOPHTHALATE
100%orthophthalates free

GLUE-DOWN
glue-down installation

cork

GREENGUARD GOLD

ÉMISSIONS DANS L'AIR INTÉRIEUR A+

CE
EN 15102:2011

Mat



Quartz
508 040 012



Limestone
508 040 011




Granite
508 040 055




Slate
508 040 052



Basalt
508 040 042



Coal
508 040 059



Carioca

Naturally colourful

Carioca Portugal Composition + Recolour Dove Blue

Carioca

Coloured Cork Wall Tiles

Carioca

Design by
Marco Carini






900 x 300 x 5,5 mm
glue-on installation



900 x 150 x 5,5 mm
glue-on installation



900 x 300 x 5,5 mm
900 x 150 x 5,5 mm
glue-on installation



1 AQUADUR waterbased matt finish 2 Natural cork decorative veneer 3 Bevelled edges 4 Expanded black agglomerated cork backing

AQUADUR waterborne finish

BEVEL 4 edges beveled

NOPHTHALATE 100%orthophthalates free

AGGLOPURE no added formaldehyde

GLUE-DOWN glue-down installation


cork


GREENGUARD GOLD

EMISSIONS DANS L'AIR INTÉRIEUR A+

CE EN 15102:2011







Storywall

Naturally original

Storywall Jackie Blues + Recolour Bluemoon

Storywall

Design by
Carlos Mendonça & Alizira Peixoto





101


300x 300 x 4 mm
glue-on installation




1 CORKGUARD® waterbased protection 2 High Definition Digital Printing 3 Agglomerated cork

CORKGUARD water and stain protection
AGGLOPURE no added formaldehyde
NOPHTHALATE 100%orthophthalates free
GLUE-DOWN glue-down installation
GREENGUARD GOLD
EMISSIONS DANS L'AIR INTÉRIEUR A+
EN 15102:2011

Storywall























Combinations









3DForms

Naturally bold

3DForms Douro Smoke combination + Recolour Slate Grey

3DForms

Design by
Carlos Mendonça & Alizira Peixoto






310

150 x 150 x 30 mm
glue-on installation




311

300 x 300 x 30 mm
glue-on installation



313


300 x 300 x 30 mm
150 x 150 x 30 mm
glue-on installation



1 CORKGUARD® waterbased protection 2 CNC machined agglomerated cork

CORKGUARD water and stain protection
AGGLOPURE no added formaldehyde
NOPHTHALATE 100%orthophthalates free
GLUE-DOWN glue-down installation
GREENGUARD GOLD
ÉMISSIONS DANS L'AIR INTÉRIEUR A+
EN 15102:2011

3DForms




Aztec Terracotta
310 110 616 • 311 110 616




Aztec Smoke
310 110 042 • 311 110 042




Pyramid Smoke
310 112 042 • 311 112 042



Pyramid Bluemoon
310 112 621 • 311 112 621



Pyramid
310 112 000 • 311 112 000



Pyramid Pearl
310 112 011 • 311 112 011




Aztec Bluemoon
310 110 621 • 311 110 621



Ramp Pearl
310 111 011 • 311 111 011




Ramp Bluemoon
310 111 621 • 311 111 621




Pyramid Terracotta
310 112 616 • 311 112 616




Ramp Terracotta
310 111 616 • 311 111 616




Ramp
310 111 000 • 311 111 000



Aztec Pearl
310 110 011 • 311 110 011



Aztec
310 110 000 • 311 110 000



Ramp Smoke
310 111 042 • 311 111 042

Combinations



Lisboa
313 310 (000 / 011 / 042 / 616 / 621)



Porto
313 311 (000 / 011 / 042 / 616 / 621)



Douro
313 312 (000 / 011 / 042 / 616 / 621)

Modular

Naturally design

Modular Bluemoon + Recolour Slate Grey

Modular

Design by
Carlos Mendonça


3D Cork Wall Tiles


Modular





314
580 x 580 x 7 mm
glue-on installation





1 CORKGUARD® waterbased protection 2 CNC machined agglomerated cork

CORKGUARD water and stain protection
AGGLOPURE no added formaldehyde
NOPHTHALATE 100%orthophthalates free
GLUE-DOWN glue-down installation
cork
GREENGUARD GOLD
EMISSIONS DANS L'AIR INTÉRIEUR A+
CE EN 15102:2011



Modular Dark
314 310 000



Modular Pearl
314 048 011



Modular Smoke
314 048 042



Modular Bluemoon
314 048 621



Modular Terracotta
314 048 616



Groovy

Naturally vintage



Groovy

New

Groovy Bluemoon + Recolour Ash

Groovy


Design by
Marco Carini


Groovy





315
600 x 300 x 6 mm
glue-on installation





1 CORKGUARD® waterbased protection 2 Printed colour 3 CNC machined agglomerated cork

CORKGUARD water and stain protection
AGGLOPURE no added formaldehyde
NOPHTHALATE 100% orthophthalates free
GLUE-DOWN glue-down installation
cork
GREENGUARD GOLD
EMISSIONS DANS L'AIR INTÉRIEUR A+
CE EN 15102:2011



Groovy Terracotta
315 048 681



Groovy Sky
315 048 685



Groovy Bluemoon
315 048 684



Groovy Purple
315 048 680



Groovy Mint
315 048 686




Groovy Sunset
315 048 682



Groovy Saffron
315 048 683



Groovy Night
315 310 000



Tatami

New



Tatami Natural + Recolour Sunset

Tatami

Design by
Marco Carini

Tatami





316

600 x 300 x 4 mm
glue-on installation



1 CORKGUARD® waterbased protection 2 Pressed texture agglomerated cork

CORKGUARD
water and stain protection

AGGLOPURE
no added formaldehyde

NOPHTHALATE
100%orthophthalates free

GLUE-DOWN
glue-down installation

GREENGUARD GOLD

EMISSIONS DANS L'AIR INTÉRIEUR A+

EN 15102:2011



Tatami Natural
316 023 000



Tatami Light
316 023 012




Tatami Midnight
316 310 000

Bebop

3D Cork Wall Tiles

Design by
Marco Carini





312

900 x 300 x 3 mm
900 x 300 x 6 mm
900 x 150 x 6 mm
900 x 150 x 9 mm
glue-on installation



Bebop
312 310 000

1 CORKGUARD® waterbased protection 2 Expanded black agglomerated cork

CORKGUARD
water and stain protection

AGGLOPURE
no added formaldehyde

NOPHTHALATE
100%orthophthalates free

GLUE-DOWN
glue-down installation


GREENGUARD GOLD

EMISSIONS DANS L'AIR INTÉRIEUR A+

CE
EN 15102:2011



Bebop



Rusticork

Naturally intense

Rusticork Bark Bluemoon + Recolour Ash


Rustic Cork Wall Tiles

Rusticork



006

600 x 300 x 25 - 35 mm
glue-on installation



906

900 x 600 x 25 - 35 mm
glue-on installation



1 Natural raw cork 2 Agglomerated cork backing (except Slate)

AGGLOPURE
no added formaldehyde

NOPHTHALATE
100%orthophthalates free


GLUE-DOWN
glue-down installation

cork

GREENGUARD
GOLD

ÉMISSIONS DANS L'AIR INTÉRIEUR
A+
A+ A B C

CE
EN 15102:2011



Bark
006 070 000 · 906 070 000



Bark Bluemoon
006 070 614 · 906 070 614



Bark Black
006 070 615 · 906 070 615



Sandstone
006 071 000 · 906 071 000



Sandstone Saffron
006 071 604 · 906 071 604



Sandstone Warm White
006 071 019 · 906 071 019



Slate
006 074 000 · 906 074 000



Slate Ash Grey
006 074 048 · 906 074 048



Slate Terracotta
006 074 616 · 906 074 616

technical data

FLOATING FLOORS

FLOOR TILES

WALL TILES

			Naturals	Recolour	Vita Classic	Vita Decor	Naturals fix	Recolour fix	Vita fix	Tradition	Decodalle	Wabi / Mat	Carioca	Storywall	3DForms	Modular	Groovy	Tatami	Bebop	Rusticork
Level of use	**Standard**	**Unit**																		
Residential	EN ISO 10874	Class	23	23	23	23	23	23	23	23										
Commercial	EN ISO 10874	Class	32	32	32	32	32	32	32	31										
Finish			WEARTOP®	WEARPLUS®	WEARPLUS®	WEARTOP®	WEARTOP®	WEARPLUS®	WEARPLUS®	NATURAL	PARAWAX	CORKGUARD®	AQUADUR	CORKGUARD®	CORKGUARD®	CORKGUARD®	CORKGUARD®	CORKGUARD®	CORKGUARD®	Natural / Painted
General Properties	**Standard**	**Unit**																		
Dimensions	EN ISO 24342	mm	910x300 ±0.1%	1164x300 ±0.1%	1746x194 ±0.1% 1164x194 ±0.1%	910x300 ±0.1%	600x300 ±0.2%	900x150 ±0.2%	900x150 ±0.2%	600x300 ±0.2%	600x300 ± 0.4%	900x300 ± 0.4%	900x150 ± 0.4% 900x300 ± 0.4%	300x300 ± 0.4%	150x150 ±0.5% 300x300 ±0.5%	580x580 ±0.5%	600x300 ±0.5%	600x300 ±0.5%	900x150 ±0.5% 900x300 ±0.5%	600x300 900x600
Thickness	EN ISO 24346 ISO 7322	mm	10.5 ±0.2	10.5 ±0.2	13.5 ±0.2 10.5 ±0.2	10.5 ±0.2	4 ±0.2	4 ±0.15	4 ±0.15	4 ±0.15	3 ± 0.2	4 ± 0.2	5.5 ± 0.2	4 ± 0.2	30 ± 0.2	7 ± 0.2	6 ± 0.2	4 ± 0.2	3 / 6 / 9 ± 0.2	25 - 35
Squareness	EN ISO 24342	mm	< 0.3	< 0.3	< 0.3	< 0.3	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.5	< 0.5	< 0.4	< 0.4	< 0.5	< 0.5	< 0.5	< 0.5	< 1
Straightness	EN ISO 24342	mm	< 0.2	< 0.2	< 0.2	< 0.2	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 1
Apparent density	ISO 3850 ISO 7322	Kg/m³	750	750	720 750	750	> 500	> 500	> 600	> 500	290	270	310	330	200	290	290	330	300	
Mass per unit area	EN ISO 23997	g/m²	7900 ±10%	7900 ±10%	9700 ±10% 7900 ±10%	7900 ±10%	2300 ±10%	2300 ±10%	2600 ±10%	2000 ±10%	870 ±10%	1080 ±10%	1700 ±10%	1300 ±10%	3170 (av)	2000 ±10%	1740 ±10%	1300 ±10%	1800 (av)	5000 - 7500
Flatness of the panel Length concave/convex Width concave/convex	EN 14085	 % %	 < 0.1 / 0.5 < 0.05 / 0.1	 < 0.1 / 0.5 < 0.05 / 0.1	 < 0.1 / 0.5 < 0.05 / 0.1	 < 0.1 / 0.5 < 0.05 / 0.1														
Opening between panels	EN 14085	mm	< 0.1	< 0.1	< 0.1	< 0.1														
Height difference between panels	EN 14085	mm	< 0.15	< 0.15	< 0.15	< 0.15														
Residual indentation	EN ISO 24343-1	mm	< 0.25	< 0.25	< 0.25	< 0.25	< 0.3	< 0.3	< 0.3	< 0.3										
Compression	ISO 7322	%									≤ 40	≤ 40	≤ 40	≤ 40		≤ 40	≤ 40	≤ 40	≤ 40	
Recuperation	ISO 7322	%									≥ 75	≥ 75	≥ 80	≥ 80		≥ 80	≥ 80	≥ 80	≥ 80	
Dimensional variation	EN 14085 ISO 23999	%	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4		< 0.4	< 0.4	< 0.4	< 0.4	
Moisture Content	EN 12105	%					≤ 6	≤ 6	≤ 6	≤ 6	≤ 8	≤ 8	≤ 8	≤ 8	≤ 8	≤ 8	≤ 8	≤ 8	≤ 8	≤ 10
Curling	EN ISO 23999	mm					< 6	< 6	< 6	< 6	< 6	< 6	< 6	< 6		< 6	< 6	< 6	< 6	
Wear resistance	EN 14354	Class	WR3	WR3	WR3	WR3	WR3	WR3	WR3											
Swelling	ISO 24336	%	< 12	< 12	< 12	< 12														
Locking strength Long / Short	ISO 24334	kN/m	> 3 / > 4	> 3 / > 4	> 3 / > 4	> 3 / > 4														
Tensile strength	ISO 7322	kPa									≥ 700	≥ 700	≥ 1000	≥ 1000		≥ 1000	≥ 1000	≥ 1000	≥ 700	
Safety Properties	**Standard**	**Unit**																		
Reaction to fire	EN 13501-1	Class	D_{fl}-s1	C_{fl}-s1	C_{fl}-s1	B_{fl}-s1	D_{fl}-s1	C_{fl}-s1	C_{fl}-s1	B_{fl}-s1	E	E	E	E	E	E	E	E	E	E
Formaldehyde emission	EN 717-2 EN 12149	Class mg/Kg	E1	E1	E1	E1					Passed	Passed	Passed	Passed	Passed	Passed	Passed	Passed	Passed	Passed
Slip resistance	EN 14041	Class	DS	DS	DS	DS	DS	DS	DS	DS										
Sliding coefficient	EN 13893	CoF	> 0.34 (R11)	> 0.34 (R11)	> 0.34 (R11)	> 0.34 (R11)	> 0.34 (R11)	> 0.34 (R11)	> 0.34 (R11)	> 0.34 (R11)										
Additional Properties	**Standard**	**Unit**																		
Thermal resistance	EN 12667	m².K/W	0.10	0.10	0.12 0.10	0.10	0.05	0.05	0.05	0.05	0.06	0.09	0.11	0.09	0.61	0.14	0.12	0.09	0.12	0.49
Thermal conductivity	EN 12667	W/m.K	0.11	0.11	0.11	0.11	0.09	0.09	0.09	0.09	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Impact noise reduction	EN ISO 10140-3	dB	19	19	18	19	14	14	14	14										
Weighted sound absorption coefficient	EN ISO 354	α_w									0.05	0.01	0.01	0.01	0.1	0.05	0.05	0.01	0.01	0.25
Light fastness	EN ISO 105-B02	Blue scale	5	5	6	6	5	5	6	5										
Scratch resistance	EN 438-2	Scala	Rating 2	Rating 2	Rating 2	Rating 2	Rating 2	Rating 2	Rating 2											
Impact resistance (small ball)	EN 438-2	N	> 40	> 40	> 40	> 40	> 40	> 40	> 40											
Vinyl Chloride Monomer (VCM)	EN 12149	mg/Kg									Passed	Passed	Passed	Passed	Passed	Passed	Passed	Passed	Passed	Passed
Release of heavy metals and specific elements	EN 12149	mg/Kg									Passed	Passed	Passed	Passed	Passed	Passed	Passed	Passed	Passed	Passed
Other Features																				
Installation system			UNICLIC®	UNICLIC®	UNICLIC®	UNICLIC®	Incollato	Incollato	Incollato	Incollato	Glue-on	Glue-on	Glue-on	Glue-on	Glue-on	Glue-on	Glue-on	Glue-on	Glue-on	Glue-on
FSC® certification			FSC® certified available on request	FSC® certified available on request	FSC® certified available on request	FSC® certified available on request														
VOC Emission Certifications			Greenguard Gold AgBB A+	Greenguard Gold AgBB A+	Greenguard Gold AgBB A+	Greenguard Gold AgBB A+	Greenguard Gold A+	Greenguard Gold A+	Greenguard Gold A+	Greenguard Gold AgBB A+	Greenguard Gold AgBB A+	Greenguard Gold AgBB A+	Greenguard Gold AgBB A+	Greenguard Gold AgBB A+	Greenguard Gold AgBB A+	Greenguard Gold A+	Greenguard Gold A+	Greenguard Gold AgBB A+	Greenguard Gold AgBB A+	Greenguard Gold AgBB A+
Antimicrobial protection			Microban®	Microban®	Microban®	Microban®														
Warranty			15 Y Residential 5 Y Commercial	15 Y Residential 5 Y Commercial	15 Y Residential 5 Y Commercial	15 Y Residential 5 Y Commercial	15 Y Residential 5 Y Commercial	15 Y Residential 5 Y Commercial	15 Y Residential 5 Y Commercial	15 Y Residential 5 Y Commercial										
m² per carton (pieces)		m² (un)	1.91 m² (7)	2.1 m² (6)	1.69 m² (5) 1.58 m² (7)	1.91 m² (7)	7.92 m² (44)	5.94 m² (44)	5.94 m² (44)	7.92 m² (44)	15.84 m² (88)	5.99 m² (22)	4.32 m² (32/16)	7.92 m² (88)	1.62 m² (72/18)	7.06 m² (21)	7.92 m² (44)	7.92 m² (44)	4.59 m² (23)	4.32 m² (24/8)
m² per pallet (cartons)		m² (un)	107 m² (56)	100.8 m² (48)	94.6 m² (56) 88.5 m² (56)	107 m² (56)	427.7 m² (54)	332.6 m² (56)	332.6 m² (56)	427.7 m² (54)	665.3 m² (42)	332.6 m² (56)	241.9 m² (56)	427.7 m² (54)	68 m² (42)	169.5 m² (24)	332.6 m² (42)	427.7 m² (54)	257 m² (56)	60.5 m² (14)
Weight of carton		Kg	15	17	16 / 13	15	16	15	16	16	12	7	9	11	6	14	14	11	9	30

Using only the best raw materials and state-of-the-art technology, we seek perfection each and every day, ensuring that our products meet all technical and quality requirements.

WEARTOP — high performance coating
High performance and low VOC finish with very high wear, impact, scratch and slip resistance.

WEARPLUS — high performance hotcoating
HotCoating® PUR and waterbased finish with very high wear, impact and chemical resistance with a natural look-and-feel.

AQUA2K+ — 2K waterborne finish
Very low emissions 2-component waterborne finish, based on polyurethane resins with very high final hardness, great elasticity and excellent chemical resistance.

AQUADUR — waterborne finish
Very low emissions waterborne finish, with a natural look-and-feel, great elasticity and good chemical resistance.

PARAWAX — flexible wax coating
Wax/paraffin based product developed specially for cork, with good flexibility, abrasion, and moisture / water repellence. Complies with FDA regulation.

CORKGUARD — water and stain protection
Aqueous dispersion based on SCOTCHGARD™ and a combination of polyurethane resins, designed to provide excellent and durable water, oil and stain repellent properties on natural cork.

HDFCORE+ — moisture resistant HDF
Moisture resistant and low swelling High Density Fibreboard (HDF), CARB 2 and Lacey Act compliant.

UNICLIC® — click installation system
Floating floors from GRANORTE use the industry's leading UNICLIC® click system for simple and fast installation.

MICRO BEVEL — 4 edges micro-beveled
Micro-bevelled edge aesthetic enhancement.

JOINT SHIELD — edge sealing technology
Edge impregnation system for improved moisture resistance and superior joint protection.

HDDP — high definition digital print
Proprietary HDDP technology that delivers unrivalled digital print quality using high native resolution together with variable dot printing and exclusive printing techniques.

AWS — authentic wood structure
Production technology that finely emboss wood structure making floors look and feel natural.

AGGLOPURE — no added formaldehyde
Formaldehyde-free, PVC-free and phthalates-free cork agglomeration technology.

GREENGUARD GOLD
Certification assuring that strict chemical emissions limits are met and that a product is acceptable for use in environments such as schools and healthcare facilities.

cork
International symbol used to identify products made with genuine cork.

EMISSIONS DANS L'AIR INTÉRIEUR A+
Information representing indoor air emissions of substances presenting a risk of inhalation toxicity, on a scale ranging from C (high emissions) to A+ (very low emissions).

CE
European certification for safety and energy-saving performance.

MICROBAN — PROTECTION THAT LIVES ON
Exclusive Microban® antibacterial protection embedded in the agglomerated cork.

Although every effort has been made to ensure accuracy during the production of this catalogue, GRANORTE disclaims potential product changes and possible print errors. The product photos may not accurately match the real colour and texture of the finished product.

Decodalle Primus Rustic Navy Blue + Recolour Dove Blue

GRANORTE®
delivering nature

GRANORTE - Revestimentos de Cortiça, Lda.
Avenida Santiago, 68 | 4520-470 Rio Meão | PORTUGAL
info@granorte.pt | www.granorte.pt

GRANORTE GmbH DEUTSCHLAND
Nimrodstraße 22 | 90441 Nürnberg | GERMANY
info@granorte.de | www.granorte.de

GRANORTE UK LTD
Unit 18 Cedar Court | Halesfield 17 | Telford TF7 4PF | UK
info@granorte.co.uk | www.granorte.co.uk

VANETON Srl - a unico socio
Via Repubblica di San Marino, 38 | 41123 Modena | ITALIA
info@granorte.it | www.granorte.it

Shanghai Parquet Cork Import & Export Co., Ltd.
No. 667 Long Ziwei Rd. | Building 135, Room 201
Pudong Dist. Shanghai 201210 | CHINA

A-GN-101-ALL-INT 2021-04