

HPD UNIQUE IDENTIFIER: 173759798272

CLASSIFICATION: 09 62 29 Cork Flooring

PRODUCT DESCRIPTION: Loose laying Cork Floor Panels, with 10,5mm thickness, to be used as an interior floor covering, in accordance with EN ISO 20326. Panels for loose laid installation, consisting of a compact high density fibreboard layer, a bonded surface layer of agglomerated cork floor covering and a back layer of soft agglomerated cork. The core material is tongued and grooved with a special profile design (Uniclic®) to allow the panels to be assembled together mechanically, without the use of glue. The cork surface is colour stained and it is finished with a hybrid PUR hotcoating and polyurethane polymer aqueous dispersion coating (WEARPLUS®).

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

<p><b>Inventory Reporting Format</b></p> <p><input type="radio"/> Nested Materials Method</p> <p><input checked="" type="radio"/> Basic Method</p> <p><b>Threshold Disclosed Per</b></p> <p><input type="radio"/> Material</p> <p><input checked="" type="radio"/> Product</p>	<p><b>Threshold Level</b></p> <p><input type="radio"/> 100 ppm</p> <p><input checked="" type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input type="radio"/> Other</p>	<p><b>Residuals/Impurities Evaluation</b></p> <p><input checked="" type="radio"/> Completed</p> <p><input type="radio"/> Partially Completed</p> <p><input type="radio"/> Not Completed</p> <p><b>Explanation(s) provided :</b></p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>	<p><i>For all contents above the threshold, the manufacturer has:</i></p> <p><b>Characterized</b> <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>Provided weight and role.</i></p> <p><b>Screened</b> <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>Provided screening results using HPDC-approved methods.</i></p> <p><b>Identified</b> <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>Provided name and CAS RN or other identifier.</i></p>
--	--	--	---

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE**

**RECOLOUR COLLECTION | UREA-MELAMINE-FORMALDEHYDE RESIN** LT-UNK **WATER** BM-4 **PARAFFIN WAX EMULSION** LT-1 | CAN | MUL | DEV **TOLUENE DIISOCYANATE BASED PREPOLYMER** LT-UNK | SKI | EYE | MAM **4,4'-METHYLENEDIPHENYL DIISOCYANATE, ISOMERS AND HOMOLOGUES** LT-UNK | CAN | RES | EYE | SKI | MAM **PREPOLYMER BASED AROMATIC POLYISOCYANATE** NoGS **TOLUENE DIISOCYANATE** LT-1 | CAN | RES | MUL | SKI | EYE | MAM | AQU **WOOD CHIPS CORK** ]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special Conditions applied: [BiologicalMaterial]

Products have been screened at a threshold of 1000 ppm and are listed in the Content Inventory Section. Cork and Wood chips are listed as Materials since they are both biological substances and have no CAS#.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified

VOC emissions: AgBB evaluation scheme 2015 (building products emissions)

Formaldehyde emissions: CARB Composite Wood ATCM CA 93120 Phase 2

Management: ISO 9001:2015 Quality management systems

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2023-09-28

PUBLISHED DATE: 2023-09-28

EXPIRY DATE: 2026-09-28

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-3-standard](http://www.hpd-collaborative.org/hpd-2-3-standard)

### RECOLOUR COLLECTION

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been evaluated.

OTHER PRODUCT NOTES: No other product notes to add.

### WOOD CHIPS

ID: **Biological Material**

HAZARD DATA SOURCE: [HPDC Special Conditions Policy](#)

%: **54.3550 - 58.5900**

GreenScreen: **Not Required**

RC: **PreC**

NANO: **No**

MATERIAL ROLE: **Biological material**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

Hazard Screening is not applicable to this Special Condition

BIOLOGICAL MATERIALS CATEGORY: Tree-based materials

INGREDIENT DESCRIPTION: Woodchips are small- to medium-sized pieces of wood formed by cutting or chipping larger pieces of wood such as trees, branches, logging residues, stumps, and roots.

MATERIAL CONTENT NOTES: Wood Chips are the primary material in the high density fiberboard, which make up 67 - 75% of this product.

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

### CORK

ID: **Biological Material**

HAZARD DATA SOURCE: [HPDC Special Conditions Policy](#)

%: **23.2690 - 24.8380**

GreenScreen: **Not Required**

RC: **PreC**

NANO: **No**

MATERIAL ROLE: **Biological material**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

Hazard Screening is not applicable to this Special Condition

BIOLOGICAL MATERIALS CATEGORY: Tree-based materials

INGREDIENT DESCRIPTION: Cork is an impermeable buoyant material, the phellem layer of bark tissue that is harvested for commercial use from *Quercus suber* L (the cork oak).

MATERIAL CONTENT NOTES: Cork, the bark of the cork oak tree, is a natural, renewable, biodegradable and fully recyclable biomaterial. Cork is a primary material for the surface and backing of this product, about 23 - 25% of the total mass of the product.

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

**UREA-MELAMINE-FORMALDEHYDE RESIN**

ID: 25036-13-9

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-09-28 4:14:09**

#: **6.3530 - 14.1180** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE LIST NAME AND SOURCE WARNINGS

None found No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION

RESTRICTED LIST Perkins+Will (P+W) P&W - Precautionary List  
Precautionary list of substances recommended for avoidance

RESTRICTED LIST International Living Future Institute (ILFI) Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2023  
Red List substances to avoid in Living Building Challenge V4.0 projects

SUBSTANCE NOTES:

**WATER**

ID: 7732-18-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-09-28 4:14:09**

#: **2.8240 - 7.4120** GreenScreen: **BM-4** RC: **None** NANO: **No** SUBSTANCE ROLE: **Diluent**

HAZARD TYPE LIST NAME AND SOURCE WARNINGS

None found No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION

EXEMPT European Union / European Commission (EU EC) EU - REACH Exemptions  
Exempted from REACH Annex IV listing due to intrinsic safety

SUBSTANCE NOTES: There are no substance notes to add at this time.

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2023-09-28 4:14:09

%: 0.7060 - 1.9410      GreenScreen: LT-1      RC: None      NANO: No      SUBSTANCE ROLE: Water resistance

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CAN	GHS - Australia	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
DEV	GHS - Australia	H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]
CAN	EU - REACH Annex XVII CMRs	Carcinogens: Category 1B
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Children's Products

SUBSTANCE NOTES:

TOLUENE DIISOCYANATE BASED PREPOLYMER

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2023-09-28 4:14:09

%: 0.8580 - 1.1440      GreenScreen: LT-UNK      RC: None      NANO: No      SUBSTANCE ROLE: Binder

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
MAM	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

**4,4'-METHYLENEDIPHENYL DIISOCYANATE, ISOMERS AND HOMOLOGUES**

ID: 9016-87-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2023-09-28 4:14:10

%: 0.5720 - 0.8580

GreenScreen: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Binder

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
MAM	GHS - New Zealand	Acute inhalation toxicity category 2
MAM	Québec CSST - WHMIS 1988	Class D1A - Very toxic material causing immediate and serious toxic effects
MAM	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
MAM	GHS - Japan	H330 - Fatal if inhaled [Acute toxicity (inhalation: dust, mist) - Category 2]
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List  Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Formulated Consumer Products

SUBSTANCE NOTES:

### PREPOLYMER BASED AROMATIC POLYISOCYANATE

ID: 37273-56-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-09-28 4:14:10**

%: **0.2860 - 0.5720** GreenScreen: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

### TOLUENE DIISOCYANATE

ID: 26471-62-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-09-28 4:14:10**

%: **0.0570 - 0.2860** GreenScreen: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
CAN	CA EPA - Prop 65	Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
RES	MAK	Sensitizing Substance Sa - Danger of airway sensitization
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]

EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
CAN	GHS - New Zealand	Carcinogenicity category 2
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
SKI	GHS - Japan	H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 3
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
EYE	GHS - Korea	H319 - Causes serious eye irritation [Serious eye damage/irritation - Category 2]
SKI	GHS - Korea	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
MAM	Québec CSST - WHMIS 1988	Class D1A - Very toxic material causing immediate and serious toxic effects
MAM	GHS - Korea	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 2]
MAM	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]

CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Korea	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
CAN	GHS - Korea	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - New Zealand	Acute inhalation toxicity category 1
MAM	GHS - Japan	H330 - Fatal if inhaled [Acute toxicity (inhalation: vapor) - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List  Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Cosmetics & Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Children's Products

SUBSTANCE NOTES:

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

#### UL/GreenGuard Gold Certified

CERTIFYING PARTY: Third Party  
APPLICABLE FACILITIES: All  
CERTIFICATE URL: [https://spot.ul.com/main-app/products/detail/5ad1e83055b0e82d946a0f49?page\\_type=Products%20Catalog](https://spot.ul.com/main-app/products/detail/5ad1e83055b0e82d946a0f49?page_type=Products%20Catalog)

ISSUE DATE: 2015-02-16  
EXPIRY DATE: 2023-11-02

CERTIFIER OR LAB: UL Solutions

CERTIFICATION AND COMPLIANCE NOTES: Granorte's RECOLOUR collection of floating cork floors is certified UL Greenguard and UL Greenguard Gold Certified. Certificates Number 9411-410 and 9411-420

### VOC EMISSIONS

#### AgBB evaluation scheme 2015 (building products emissions)

CERTIFYING PARTY: Third Party  
APPLICABLE FACILITIES: All  
CERTIFICATE URL:

ISSUE DATE: 2020-09-30  
EXPIRY DATE:

CERTIFIER OR LAB: INEGI / LQAI

CERTIFICATION AND COMPLIANCE NOTES: Granorte's RECOLOUR collection of floating cork floors has a positive evaluation under the criteria set by AgBB.

### FORMALDEHYDE EMISSIONS

#### CARB Composite Wood ATCM CA 93120 Phase 2

CERTIFYING PARTY: Third Party  
APPLICABLE FACILITIES: All  
CERTIFICATE URL:  
<https://www.aidimme.es/ServiciosOnline/CARB-EPA/>

ISSUE DATE: 2022-11-08  
EXPIRY DATE:

CERTIFIER OR LAB: AIDIMME

CERTIFICATION AND COMPLIANCE NOTES: RECOLOUR collection fibreboard complies with CARB Formaldehyde Emission Standard Phase 2 (0,11 ppm) and US EPA 40 CFR Part 770 Toxic Substances Control Act (TSCA) Title VI.

### MANAGEMENT

#### ISO 9001:2015 Quality management systems

CERTIFYING PARTY: Third Party  
APPLICABLE FACILITIES: All  
CERTIFICATE URL:

ISSUE DATE: 2020-12-17  
EXPIRY DATE: 2024-02-19

CERTIFIER OR LAB: APCER

CERTIFICATION AND COMPLIANCE NOTES:

### SUSTAINABLE FORESTRY

#### FSC Certification - Chain of Custody (COC)

CERTIFYING PARTY: Third Party  
APPLICABLE FACILITIES: All  
CERTIFICATE URL:

ISSUE DATE: 2020-02-03  
EXPIRY DATE: 2025-02-02

CERTIFIER OR LAB: APCER

CERTIFICATION AND COMPLIANCE NOTES: Certificate number: APCER-COC-150508 | APCER-CW-150508 FSC® License Number: FSC C044061

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

### POLYETHYLENE FILM

MANUFACTURER (OR GENERIC): Generic

HPD URL: No HPD available

ACCESSORY TYPE: Installation Accessory

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Used on installation, as a moisture barrier between the subfloor and the floorcovering.

## FLOOR PROFILES

MANUFACTURER (OR GENERIC): **Generic**

---

HPD URL: No HPD available

ACCESSORY TYPE: Installation Accessory

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Floor profiles are suitable for terminations, transitions and adjustments.

## TOOLS

MANUFACTURER (OR GENERIC): **Generic**

---

HPD URL: No HPD available

ACCESSORY TYPE: Other

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Tools used during installation: Adhesive tape; Spacer blocks; Hammer; Pull bar; Tapping block; Pencil; Measuring tape; Circular saw or miter saw.

## CLEANER

MANUFACTURER (OR GENERIC): **Loba Cleaner; Bona Cleaner; Dr. Schutz Wood & Cork Floor Cleaner.**

---

HPD URL: No HPD available

ACCESSORY TYPE: Cleaning Product

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: pH-neutral cleaner.

## MAINTENANCE

MANUFACTURER (OR GENERIC): **Loba KorkCare / Loba FloorCare; Bona Polish; Dr. Schutz Wood & Cork Floor Polish**

---

HPD URL: No HPD available

ACCESSORY TYPE: Maintenance Product

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Water-based floor care product. Protects the finished floors by forming a protective layer against scratches and wear marks.

## Section 5: General Notes

Cork panels for loose laid installation, consisting of a compact high density fibreboard layer, a bonded surface layer of agglomerated cork floor covering and a back layer of soft agglomerated cork. The core material is tongued and grooved with a special profile design (Uniclic®) to allow the panels to be assembled together mechanically, without the use of glue. The cork surface is colour stained and it is finished with a hybrid PUR hotcoating and polyurethane polymer aqueous dispersion coating (WEARPLUS®).

Panel dimension: 1164 x 300 mm (3.8 ft x 1 ft).

Total thickness: 10.5 mm (0.41 in).

Cork surface thickness: 3 mm (0.12 in).

HDF thickness: 6 mm (0.24 in).

Cork backing thickness: 1.5 mm (0.06 in).

Floating Uniclic® installation.

WEARTOP® finished.

Level of use CLASS 23 | 32.

Bevelled edges

WARRANTY 15Y Residential | 5Y Commercial.

MICROBAN® antimicrobial product protection.

FSC® certified products available upon request.

The High Density Fiberboard used in this product complies with E1 Euroclass, CARB 2 and TSCA Title VI Formaldehyde emission standards.

The WEARPLUS Multilayer Finish has 5 coats with different products (PUR hotcoating and polyurethane aqueous dispersions mixtures).

Suitable for underfloor heating.

RECOLOUR cork floating floors are made from more than 80% renewable raw materials (cork and wood) and 30% of recycled by-products (cork and wood).

Contains no PVC, no plasticizers or other substances hazardous to health or environment.

**MANUFACTURER INFORMATION**

MANUFACTURER: **Granorte**  
 ADDRESS: **GRANORTE - Revestimentos de Cortiça, Lda.**  
**Avenida de Santiago, 68**  
**Rio Meão, Rio Meão 4520-470**  
 COUNTRY: **PORTUGAL**  
 LATITUDE: **40.9593000**  
 LONGITUDE: **-8.5970000**

WEBSITE: <https://www.granorte.pt/en/>  
 CONTACT NAME: **Paulo Rocha**  
 TITLE: **Technical & R+D Manager**  
 PHONE: **+351 256 783 026**  
 EMAIL: [paulo.rocha@granorte.pt](mailto:paulo.rocha@granorte.pt)

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> No GreenScreen.
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products*

*through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*